

### Datasheet for ABIN5532126

# anti-SNX17 antibody (N-Term)





Go to Product page

_				
()	ve.	rv/	101	Λ

O V CI V I C V V	
Quantity:	400 μL
Target:	SNX17
Binding Specificity:	AA 53-82, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNX17 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This SNX17 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 53-82 amino acids from the N-terminal region of human SNX17.
Isotype:	
isotype.	Ig Fraction
Purification:	Ig Fraction  This antibody is purified through a protein A column, followed by peptide affinity purification.
Purification:	
Purification: Target Details	This antibody is purified through a protein A column, followed by peptide affinity purification.
Purification:  Target Details  Target:	This antibody is purified through a protein A column, followed by peptide affinity purification.  SNX17
Purification:  Target Details  Target:  Alternative Name:	This antibody is purified through a protein A column, followed by peptide affinity purification.  SNX17  SNX17 (SNX17 Products)

### **Target Details**


	contains a B41 domain. This protein interacts with the cytoplasmic domain of P-selectin, and may function in the intracellular trafficking of P-selectin. [provided by RefSeq].
Molecular Weight:	53 kDa
Gene ID:	9784
UniProt:	Q15036

## Application Details

Application Notes:	For WB starting dilution is: 1:1000
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.



#### **Western Blotting**

**Image 1.** Western blot analysis in 293 cell line lysates (35ug/lane).