antibodies -online.com





anti-NUCKS1 antibody (N-Term)

2 Images



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	400 μL
Target:	NUCKS1
Binding Specificity:	AA 45-73, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Flow Cytometry (FACS)
Product Details	

Immunogen:	This NUCKS1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 45-73 amino acids from the N-terminal region of human NUCKS1.	
Isotype:	lg Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	


Target Details

Target:	NUCKS1
Alternative Name:	NUCKS1 (NUCKS1 Products)
Molecular Weight:	27 kDa
Gene ID:	64710
UniProt:	Q9H1E3

Application Details


Application Notes:	For WB starting dilution is: 1:1000
	For FACS starting dilution is: 1:10~50
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.4 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
luna na si na n	

Images



Flow Cytometry

Image 1. Flow cytometry analysis of Ramos cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. Western blot analysis of NUCKS1 Antibody in Ramos cell line lysates (35ug/lane)