antibodies - online.com







anti-ACSF3 antibody (AA 413-442)

Images



Overview	
Quantity:	400 μL
Target:	ACSF3
Binding Specificity:	AA 413-442
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACSF3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This ACSF3 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 413-442 amino acids from the Central region of human ACSF3.
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	ACSF3
Alternative Name:	ACSF3 (ACSF3 Products)
Atternative Name.	noor o (noor o rroddets)
Molecular Weight:	64 kDa

Target Details

UniProt: Q4G176

Application Details

Application Notes: For WB starting dilution is: 1:1000


For IHC-P starting dilution is: 1:50~100

Restrictions: For Research Use only

Handling


Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Images



Western Blotting

Image 1. Western blot analysis in mouse heart tissue lysates (15ug/lane). This demonstrates the detected ACSF3 protein (arrow).



Immunohistochemistry

Image 2. ACSF3 antibody immunohistochemistry analysis in formalin fixed and paraffin embedded human tonsils tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.