antibodies.com

Datasheet for ABIN5535884 anti-BASP1 antibody (AA 123-150)

3 Images



Overview

Quantity:	400 µL
Target:	BASP1
Binding Specificity:	AA 123-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BASP1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details


Immunogen:	This BASP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 123-150 amino acids from the Central region of human BASP1.
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	BASP1
Alternative Name:	BASP1 (BASP1 Products)
Background:	BASP1 encodes a membrane bound protein with several transient phosphorylation sites and PEST motifs. Conservation of proteins with PEST sequences among different species supports
	their functional significance. PEST sequences typically occur in proteins with high turnover

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5535884 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

	rates. Immunological characteristics of this protein are species specific. This protein also undergoes N-terminal myristoylation.
Molecular Weight:	23 kDa
Gene ID:	10409
UniProt:	P80723
Application Details	
Application Notes:	For WB starting dilution is: 1:2000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.35 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.



Western Blotting

Image 1. Western Blot at 1:2000 dilution + DU145 whole cell lysate Lysates/proteins at 20 ug per lane.

Western Blotting

Image 2. Western Blot at 1:2000 dilution Lane 1: K562 whole cell lysates Lane 2: Jurkat whole cell lysates Lysates/proteins at 20 ug per lane.

Western Blotting

Image 3. Western Blot at 1:2000 dilution + K562 whole cell lysates Lysates/proteins at 20 ug per lane.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5535884 | 09/10/2023 | Copyright antibodies-online. All rights reserved.