antibodies -online.com





anti-IRX3 antibody (N-Term)

2 Images



Go to Product page

_						
0	V	0	r٧	/[Θ	M

HC (p))
d synthetic
⟨3.
y purification.
7) and plays a
7753]). Members
e embryos

Target Details


Molecular Weight:	52 kDa
Gene ID:	79191
UniProt:	P78415
Pathways:	Tube Formation

Application Details

Application Notes:	For WB starting dilution is: 1:1000
	For IHC-P starting dilution is: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.



Western Blotting

Image 1. Western Blot at 1:1000 dilution + SH-SY5Y whole cell lysate Lysates/proteins at 20 ug per lane.



Immunohistochemistry

Image 2. IRX3 Antibody immunohistochemistry analysis in formalin fixed and paraffin embedded human breast carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining.