# antibodies - online.com







# anti-STK32A antibody (C-Term)

**Images** 



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	400 μL
Target:	STK32A
Binding Specificity:	AA 347-374, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK32A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This Mouse Stk32a antibody is generated from rabbits immunized with a KLH conjugated
Immunogen:	This Mouse Stk32a antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 347-374 amino acids from the C-terminal region of mouse Stk32a.
Immunogen: Isotype:	
-	synthetic peptide between 347-374 amino acids from the C-terminal region of mouse Stk32a.
Isotype:	synthetic peptide between 347-374 amino acids from the C-terminal region of mouse Stk32a.  Ig Fraction
Isotype: Purification:	synthetic peptide between 347-374 amino acids from the C-terminal region of mouse Stk32a.  Ig Fraction
Isotype: Purification: Target Details	synthetic peptide between 347-374 amino acids from the C-terminal region of mouse Stk32a.  Ig Fraction  This antibody is purified through a protein A column, followed by peptide affinity purification.
Isotype: Purification: Target Details Target:	synthetic peptide between 347-374 amino acids from the C-terminal region of mouse Stk32a.  Ig Fraction  This antibody is purified through a protein A column, followed by peptide affinity purification.  STK32A

# **Target Details**

Molecular Weight:	47 kDa
Gene ID:	269019
UniProt:	Q8BGW6

# **Application Details**


Application Notes:	For WB starting dilution is: 1:1000
Restrictions:	For Research Use only
Handling	

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.


### **Images**

Storage Comment:



### **Western Blotting**

**Image 1.** Western blot analysis in mouse Neuro-2a cell line lysates (35ug/lane).



### **Western Blotting**

**Image 2.** Western blot analysis in MCF-7 cell line lysates (35ug/lane).