
antibodies -online.com





anti-Cardiac Troponin T2 antibody (C-Term)

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	Cardiac Troponin T2 (cTnT)
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Pig
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This Cardiac Troponin T2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Purpose:	cardiac troponin T
Sequence:	RNRINDNQKV SKT
Isotype:	IgG
Specificity:	This antibody is expected to recognize all reported isoforms (NP_000355.2, NP_001001430.1, NP_001001431.1, NP_001001432.1).
Cross-Reactivity:	Cat, Cow, Dog, Human, Mouse, Pig, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

Target Details

rarget betails	
Target:	Cardiac Troponin T2 (cTnT)
Alternative Name:	TNNT2 (cTnT Products)
Background:	TNNT2, troponin T type 2 (cardiac), CMH2, CMPD2, LVNC6, MGC3889, RCM3, TnTC, cTnT,
	OTTHUMP00000033864, OTTHUMP00000033865, OTTHUMP00000033866,
	OTTHUMP00000033867, OTTHUMP00000033870, OTTHUMP00000218095, cardiac muscle
	troponin T, cardiomyopathy, dilated 1
Gene ID:	7139, 21956, 24837
NCBI Accession:	NP_000355, NP_001001430, NP_001001431, NP_001001432
Application Details	
Application Notes:	Western Blot: Approx 40 kDa band observed in Human, fetal Mouse and adult Rat and Pig Heart
	lysates (calculated MW of 35.6 kDa according to Human NP_000355.2 and 35.7 kDa according
	to Rat NP_036808.1). The observed molecular weight corresponds to earlier fi
	Peptide ELISA: antibody detection limit dilution 1:128000.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum
	albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated
	at 4°C for a few weeks and still remain viable.



Western Blotting

Image 1. ABIN5539507 (0.03μg/ml) staining of Rat Heart lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Western Blotting

Image 2. ABIN5539507 (0.01μg/ml) staining of Pig Heart lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.