# antibodies .- online.com







# anti-SNX8 antibody (C-Term)



Image



#### Overview

Quantity:	100 μg
Target:	SNX8
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This SNX8 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

#### **Product Details**

Purpose:	SNX8
Sequence:	TPPCSPPEDG LCPH
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

### **Target Details**

Target: SNX8

## **Target Details**


Alternative Name:	SNX8 (SNX8 Products)
Background:	SNX8, sorting nexin 8, Mvp1
Gene ID:	29886
NCBI Accession:	NP_037453

# Application Details

Application Notes:	Immunohistochemistry: In paraffin embedded Human Kidney shows vesicular staining in the
	cytoplasm of preferentially DCT epithelial cells. Recommended concentration, 4-8 µg/mL.
	Peptide ELISA: antibody detection limit dilution 1:8000.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.



#### **Immunohistochemistry**

**Image 1.** ABIN5539589 ( $4\mu g/ml$ ) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with Tris/EDTA buffer pH 9, HRP-staining.