

[Go to Product page](#)

## Datasheet for ABIN5539763 **anti-UBE2R2 antibody (N-Term)**

### Overview

Quantity:	100 µg
Target:	UBE2R2
Binding Specificity:	N-Term
Reactivity:	Human, Rat
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This UBE2R2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunoelectron Microscopy (IEM)

### Product Details

Purpose:	UBC3B
Sequence:	AQQQMTSSQK ALM
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified

### Target Details

Target:	UBE2R2
---------	--------

## Target Details

Alternative Name:	UBE2R2 ( <a href="#">UBE2R2 Products</a> )
Background:	UBE2R2, UBC3B, CDC34B, FLJ20419, MGC10481, ubiquitin-conjugating enzyme E2R 2, ubiquitin-conjugating enzyme UBC3B
Gene ID:	54926, 67615
NCBI Accession:	<a href="#">NP_060281</a>

## Application Details

Application Notes:	<p>Immunohistochemistry: In paraffin embedded Human Testis shows textured nuclear staining of the primary spermatocytes . Recommended concentration, 2-4 µg/mL.</p> <p>Western Blot: No signal obtained yet but low background observed in Human Testis and U937 lysates at up to 1 µg/mL. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?</p> <p>Peptide ELISA: antibody detection limit dilution 1:4000.</p>
Comment:	<b>Immunoelectron microscopy:</b> This product stained chromatoid bodies in Rat spermatids.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.