antibodies -online.com







anti-POMC antibody (AA 1-150)





Overview

Quantity:	0.1 mg
Target:	POMC
Binding Specificity:	AA 1-150
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This POMC antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Flow Cytometry (FACS), Immunocytochemistry (ICC)

Product Details

Immunogen:	Purified recombinant fragment of human POMC (AA: 1-150) expressed in E. coli.
Clone:	6D2B5
Isotype:	lgG1
Purification:	purified

Target Details

Target:	POMC
Alternative Name:	POMC (POMC Products)
Background:	Description: This gene encodes a preproprotein that undergoes extensive, tissue-specific, post-

translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. There are eight potential cleavage sites within the preproprotein and, depending on tissue type and the available convertases, processing may yield as many as ten biologically active peptides involved in diverse cellular functions. The encoded protein is synthesized mainly in corticotroph cells of the anterior pituitary where four cleavage sites are used, adrenocorticotrophin, essential for normal steroidogenesis and the maintenance of normal adrenal weight, and lipotropin beta are the major end products. In other tissues, including the hypothalamus, placenta, and epithelium, all cleavage sites may be used, giving rise to peptides with roles in pain and energy homeostasis, melanocyte stimulation, and immune modulation. These include several distinct melanotropins, lipotropins, and endorphins that are contained within the adrenocorticotrophin and beta-lipotropin peptides. The antimicrobial melanotropin alpha peptide exhibits antibacterial and antifungal activity. Mutations in this gene have been associated with early onset obesity, adrenal insufficiency, and red hair pigmentation.

Alternatively spliced transcript variants encoding the same protein have been described.,

Aliases: LPH, MSH, NPP, POC, ACTH, CLIP

Molecular Weight:	29.4 kDa
Gene ID:	5443
HGNC:	5443
Pathways:	Metabolism of Steroid Hormones and Vitamin D, Peptide Hormone Metabolism, Hormone Activity, Feeding Behaviour

Application Details

Application Notes:	ELISA: 1:10000, WB: 1:500 - 1:2000, IHC: , ICC: 1:200 - 1:1000, FCM:
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified antibody in PBS with 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C

Storage Comment:

4°C, -20°C for long term storage


Images




ELISA

Image 1. Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)





11-



Western Blotting

Image 2. Western blot analysis using POMC mAb against human POMC (AA: 1-150) recombinant protein. (Expected MW is 41.9 kDa)

Western Blotting

Image 3. Western blot analysis using POMC mAb against HEK293 (1) and POMC (AA: 1-150)-hlgGFc transfected HEK293 (2) cell lysate.

Please check the product details page for more images. Overall 4 images are available for ABIN5542293.