# antibodies -online.com





# anti-MAP3K13 antibody (AA 801-900) (Biotin)



Go to Product page

	$\Theta_{W}$

Quantity:	100 μL
Target:	MAP3K13
Binding Specificity:	AA 801-900
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAP3K13 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MAP3K13
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Cow
Purification:	Purified by Protein A.

## **Target Details**

Target:	MAP3K13
Alternative Name:	MAP3K13 (MAP3K13 Products)

## **Target Details**

Background:	Synonyms: Mitogen-activated protein kinase kinase kinase 13, MAP3K13, Leucine zipper-	
	bearing kinase, Mixed lineage kinase, MLK, LZK	
	Background: Activates the JUN N-terminal pathway through activation of the MAP kinase	
	kinase MAP2K7. Acts synergistically with PRDX3 to regulate the activation of NF-kappa-B in the	
	cytosol. This activation is kinase-dependent and involves activating the IKK complex, the	
	IKBKB-containing complex that phosphorylates inhibitors of NF-kappa-B.	
Gene ID:	9175	
UniProt:	043283	
Pathways:	Signaling Events mediated by VEGFR1 and VEGFR2	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	