antibodies - online.com







anti-AUH antibody (C-Term)

Images



\sim	
()\/\	rview
\cup	

Quantity:	100 μL
Target:	AUH
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AUH antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Purpose:	Rabbit polyclonal antibody raised against synthetic peptide of human AUH.
Immunogen:	A synthetic peptide corresponding to C-terminus of human AUH.
Sequence:	IGMSLAKELI FSARVLDGKE AKAVGLISHV LEQNQEGDAA YRKALDLARE
Cross-Reactivity:	Human

Target Details

Target:	AUH
Alternative Name:	AUH (AUH Products)
Background:	Full Gene Name: AU RNA binding protein/enoyl-Coenzyme A hydratase
Gene ID:	549

Target Details

NCBI Accession:	Ν	I	١	/	1			C)(J) 1	1	6	59	9	8	3	
-----------------	---	---	---	---	---	--	--	---	----	---	-----	---	---	----	---	---	---	--

Application Details

Application Notes: Immunohistochemistry (Formalin/PFA-fixed	d paraffin-embedded sections) (4-8 µg/mL)
---	---

Western Blot (0.2-1 µg/mL)


The optimal working dilution should be determined by the end user.

Restrictions: For Research Use only

Handling


Format:	Liquid
Buffer:	In PBS (2 % sucrose, 0.09 % sodium azide).
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. Western Blot analysis of HepG2 cell lysate with AUH polyclonal antibody at 0.2-1 ug/mL working concentration.



Immunohistochemistry

Image 2. Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human kidney with AUH polyclonal antibody at 4-8 ug/mL working concentration.