

Datasheet for ABIN5577882

**anti-FAM96A antibody****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	FAM96A
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM96A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Purpose:	Rabbit polyclonal antibody raised against recombinant FAM96A.
Immunogen:	Recombinant protein corresponding to amino acids of human FAM96A.
Sequence:	RIMEEKALEV YDLIRTIRDP EKPNTLEELE VVSESCVEVQ EINEEEYLV IIRFTPTVPHC SL
Isotype:	IgG
Cross-Reactivity:	Human

## Target Details

Target:	FAM96A
Alternative Name:	FAM96A ( <a href="#">FAM96A Products</a> )
Background:	Full Gene Name: family with sequence similarity 96, member A Synonyms: FLJ22875

## Target Details

Gene ID: 84191

## Application Details

Application Notes: Immunohistochemistry (1:200-1:500)  
Western Blot (1:250-1:500)  
The optimal working dilution should be determined by the end user.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: In PBS, pH 7.2 (40 % glycerol, 0.02 % sodium azide)


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C


Storage Comment: Store at 4°C. For long term storage store at -20°C.  
Aliquot to avoid repeated freezing and thawing.

## Images



### Immunohistochemistry

**Image 1.** Immunohistochemical staining of human stomach with FAM96A polyclonal antibody shows strong cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.



### Western Blotting

**Image 2.** Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate), Lane 2: Over-expression Lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells) with FAM96A polyclonal antibody at 1:250-1:500 dilution.