antibodies - online.com







anti-FFAR3 antibody (Internal Region)



Image



Overview

| Quantity: | 50 μg |
|----------------------|---|
| Target: | FFAR3 |
| Binding Specificity: | Internal Region |
| Reactivity: | Human, Gorilla |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FFAR3 antibody is un-conjugated |
| Application: | Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| Purpose: | Rabbit polyclonal antibody raised against synthetic peptide of FFAR3. |
|-----------------------------|---|
| Immunogen: | A synthetic peptide corresponding to 16 amino acid at internal region of human FFAR3. |
| Specificity: | BLAST analysis of the peptide immunogen showed no homology with other human proteins. |
| Cross-Reactivity: | Gorilla, Human |
| Cross-Reactivity (Details): | BLAST analysis of the peptide immunogen showed no homology with other human proteins. |

Target Details

| Target: | FFAR3 |
|-------------------|--|
| Alternative Name: | FFAR3 (FFAR3 Products) |
| Background: | Full Gene Name: free fatty acid receptor 3 |

Target Details

| - arget Betane | |
|---------------------|--|
| | Synonyms: FFA3R,GPR41 |
| Gene ID: | 2865 |
| Application Details | |
| Application Notes: | Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (5 µg/mL) |


The optimal working dilution should be determined by the end user.

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Buffer: | In PBS (0.09 % sodium azide) |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-80 °C |
| Storage Comment: | Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing. |

Images



Immunohistochemistry

Image 1. Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human liver (A) and human adrenal gland tissue (B) with FFAR3 polyclonal antibody. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.