.-online.com antibodies

Datasheet for ABIN5579943 anti-HIST4H4 antibody (acLys12)

Image



Overview

Quantity:	100 µg
Target:	HIST4H4
Binding Specificity:	acLys12
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This HIST4H4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Purpose:	Recombinant rabbit monoclonal antibody raised against of human histone H4 (acetyl K12).
Immunogen:	Original antibody is raised against a synthetic acetyl peptide corresponding to residues surrounding K12 of human Histone H4.
Clone:	RM202
lsotype:	lgG
Specificity:	This antibody reacts to Histone H4 acetylated at Lysine 12. No cross reactivity with other acetylated Lysines in Histone H4.

Target Details

Target:

HIST4H4

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5579943 | 02/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	HIST4H4 (HIST4H4 Products)
Background:	Full Gene Name: histone cluster 4, H4
	Synonyms: H4/p,MGC24116
Gene ID:	121504
Pathways:	Telomere Maintenance
Application Details	
Application Notes:	ELISA (0.5 µg/mL-1 µg/mL)
	Western Blot (0.5 µg/mL-2 µg/mL)
	The optimal working dilution should be determined by the end user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	In PBS (50 % glycerol, 1 % BSA, 0.09 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C.
	Aliquot to avoid repeated freezing and thawing.

	1 2	
260-		
160 -		
110-		
80 -		
60 -		
50 -		
40-		
30-		
20-		
15- 10-		+

Western Blotting

Image 1. Western Blot analysis of Lane 1: acid extracts of HeLa cell treated with sodium butyrate and Lane 2: acid extracts of HeLa cell untreated with Histone H4 (acetyl K12) monoclonal antibody, clone RM202 at 0.5 ug/mL working concentration, showed a band of Histone H4 acetylated at Lysine 12.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5579943 | 02/07/2024 | Copyright antibodies-online. All rights reserved.