antibodies -online.com







anti-HIST4H4 antibody (acLys16)



Image



$C_0 + c$	Produc	+
	Promi	บ กลกย

\sim	
()\/\Di	view
	V I C V V

0.101.101.	
Quantity:	100 μg
Target:	HIST4H4
Binding Specificity:	acLys16
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This HIST4H4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Purpose:	Recombinant rabbit monoclonal antibody raised against of human histone H4 (acetyl K16).
Immunogen:	Original antibody is raised against a synthetic acetyl peptide corresponding to residues
	surrounding K16 of human Histone H4.
Clone:	RM204
Isotype:	IgG
Specificity:	This antibody reacts to Histone H4 acetylated at Lysine 16. No cross reactivity with other acetylated Lysines in Histone H4.
Target Details	
Target:	HIST4H4

Target Details


Alternative Name:	HIST4H4 (HIST4H4 Products)
Background:	Full Gene Name: histone cluster 4, H4 Synonyms: H4/p,MGC24116
Gene ID:	121504
Pathways:	Telomere Maintenance

Application Details

Application Notes:	ELISA (0.5 μg/mL-1 μg/mL)
	Western Blot (0.5 μg/mL-2 μg/mL)
	The optimal working dilution should be determined by the end user.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	In PBS (50 % glycerol, 1 % BSA, 0.09 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of Lane 1: acid extracts of HeLa cell treated with sodium butyrate and Lane 2: acid extracts of HeLa cell untreated with Histone H4 (acetyl K16) monoclonal antibody, clone RM204 at 0.5 ug/mL working concentration, showed a band of Histone H4 acetylated at Lysine 16.