.-online.com antibodies

Datasheet for ABIN5579949 anti-HIST4H4 antibody (pSer1)

Image



Overview

Quantity:	100 µg
Target:	HIST4H4
Binding Specificity:	pSer1
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This HIST4H4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Purpose:	Recombinant rabbit monoclonal antibody raised against of human histone H4 (S1).	
Immunogen:	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surrounding S1 of human Histone H4.	
Clone:	RM194	
lsotype:	lgG	
Specificity:	This antibody reacts to Histone H4 phosphorylated at Serine 1. The reactivity is not affected by neighbor Arginine 3 modification. No cross reactivity with Histone H2A phosphorylated at Serine 1.	

Target Details

Target:

HIST4H4

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5579949 | 02/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details		
Alternative Name:	HIST4H4 (HIST4H4 Products)	
Background:	Full Gene Name: histone cluster 4, H4	
	Synonyms: H4/p,MGC24116	
Gene ID:	121504	
Pathways:	Telomere Maintenance	
Application Details		
Application Notes:	ELISA (0.2 µg/mL-1 µg/mL)	
	Western Blot (0.5 µg/mL-2 µg/mL)	
	The optimal working dilution should be determined by the end user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	In PBS (50 % glycerol, 1 % BSA, 0.09 % sodium azide)	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C.	
	Aliquot to avoid repeated freezing and thawing.	

	1 2	
260-	1000	Ľ.
160-		
110-		
80 -		
60 -		
50 -		
40 -		
30-		
20-		
15- 10-	•	+

Western Blotting

Image 1. Western blot analysis of Lane 1: acid extracts of HeLa cell and Lane 2: recombinant Histone H4 with Histone H4 (phospho S1) monoclonal antibody, clone RM194 at 0.5 ug/mL working concentration, showed a band of Histone H4 phosphorylated at Serine 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5579949 | 02/07/2024 | Copyright antibodies-online. All rights reserved.