



Datasheet for ABIN5581797
anti-KIAA0355 antibody



[Go to Product page](#)

3 Images

Overview

| | |
|--------------|--|
| Quantity: | 100 µL |
| Target: | KIAA0355 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This KIAA0355 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|-------------------|---|
| Purpose: | Rabbit polyclonal antibody raised against recombinant KIAA0355. |
| Immunogen: | Recombinant protein corresponding to amino acids of human KIAA0355. |
| Sequence: | GCYNGITSRD DFPVTEVLNQ VCPSTWRGAC KTAVQLLFGQ AGLVVVDTAQ IENKEAYAPQ ISLEGSRIVV QVPSTWCLKE DPATMSLLQR SLDPEKTLGL VDLV |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |

Target Details

| | |
|-------------------|--|
| Target: | KIAA0355 |
| Alternative Name: | KIAA0355 (KIAA0355 Products) |
| Background: | Full Gene Name: KIAA0355 |

Target Details

Gene ID: 9710

Application Details

Application Notes: Immunohistochemistry (1:20-1:50)
Western Blot (1:250-1:500)
The optimal working dilution should be determined by the end user.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: In PBS, pH 7.2 (40 % glycerol, 0.02 % sodium azide)


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C


Storage Comment: Store at 4°C. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Images




Immunohistochemistry

Image 1. Immunohistochemical staining of human small intestine with KIAA0355 polyclonal antibody shows cytoplasmic positivity in glandular cells at 1:20-1:50 dilution.



Western Blotting

Image 2. Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with KIAA0355 polyclonal antibody at 1:250-1:500 dilution.



Western Blotting

Image 3. Western blot analysis of cell lysates with KIAA0355 polyclonal antibody at 1:250-1:500 dilution. Lane 1 : NIH/3T3 Lane 2 : NBT-II