



Datasheet for ABIN5581808
anti-KIAA0753 antibody



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µL
Target:	KIAA0753
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIAA0753 antibody is un-conjugated
Application:	Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Western Blotting (WB)

Product Details

Purpose:	Rabbit polyclonal antibody raised against recombinant KIAA0753.
Immunogen:	Recombinant protein corresponding to amino acids of human KIAA0753.
Sequence:	PCNGNSLDES VGTEEGSEKR EAPLLSLAED SQQKEGRAPL FVPPGMQHSI GDYCSRFEQY LRIISHEAVG SFNPWLIAES FSEELVDEAL GAVAAELQDM CEDYAEAVFT SE
Isotype:	IgG
Cross-Reactivity:	Human

Target Details

Target:	KIAA0753
Alternative Name:	KIAA0753 (KIAA0753 Products)

Target Details

Background:	Full Gene Name: KIAA0753 Synonyms: MGC130040,MGC130041
Gene ID:	9851


Application Details

Application Notes:	Immunohistochemistry (1:50-1:200) Western Blot (1:250-1:500) Immunofluorescence (1-4 µg/mL) The optimal working dilution should be determined by the end user.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	In PBS, pH 7.2 (40 % glycerol, 0.02 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Images




Immunohistochemistry

Image 1. Immunohistochemical staining of human gallbladder with KIAA0753 polyclonal antibody strong cytoplasmic positivity in glandular cells at 1:50-1:200 dilution.



Western Blotting

Image 2. Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with KIAA0753 polyclonal antibody at 1:250-1:500 dilution.



Immunofluorescence

Image 3. Immunofluorescent staining of human cell line A-431 with KIAA0753 polyclonal antibody at 1-4 ug/mL dilution shows positivity in cytoplasm & centrosome.