



Datasheet for ABIN5581840
anti-KIAA1609 antibody



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	KIAA1609 (MEAK7)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIAA1609 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Purpose:	Rabbit polyclonal antibody raised against recombinant KIAA1609.
Immunogen:	Recombinant protein corresponding to amino acids of human KIAA1609.
Sequence:	KGNSEKSLM IMKMISATEG PVKAREVQKF TEDLVGSVVH VLSHRQELRG WTGKEAPGPN PRVQVLAAQL LSEMKLQDGK RLLGPQWLDY DCDRAVIEDW V
Isotype:	IgG
Cross-Reactivity:	Human

Target Details

Target:	KIAA1609 (MEAK7)
Alternative Name:	KIAA1609 (MEAK7 Products)
Background:	Full Gene Name: KIAA1609

Target Details

Synonyms: MGC25024

Gene ID: 57707

Application Details

Application Notes: Immunohistochemistry (1:500-1:1000)
Western Blot (1:250-1:500)
The optimal working dilution should be determined by the end user.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: In PBS, pH 7.2 (40 % glycerol, 0.02 % sodium azide)


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C


Storage Comment: Store at 4°C. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate), Lane 2: Over-expression Lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells) with KIAA1609 polyclonal antibody at 1:250-1:500 dilution.



Immunohistochemistry

Image 2. Immunohistochemical staining of human prostate with KIAA1609 polyclonal antibody shows moderate cytoplasmic positivity in glandular cells at 1:500-1:1000 dilution.