# antibodies -online.com





## anti-NR2E1 antibody (N-Term)





Go to Product page

#### Overview

Quantity:	50 μg
Target:	NR2E1
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Horse, Cow, Rabbit, Pig, Monkey, Gorilla
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NR2E1 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## **Product Details**

Purpose:	Rabbit polyclonal antibody raised against synthetic peptide of NR2E1.
Immunogen:	A synthetic peptide corresponding to 15 amino acid at N-terminus of human NR2E1.
Specificity:	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Cross-Reactivity:	Cow, Dog, Gorilla, Horse, Human, Monkey, Pig, Rabbit
Cross-Reactivity (Details):	BLAST analysis of the peptide immunogen showed no homology with other human proteins.

## Target Details

Target:	NR2E1
Alternative Name:	NR2E1 (NR2E1 Products)
Background:	Full Gene Name: nuclear receptor subfamily 2, group E, member 1


## **Target Details**

	Synonyms: TLL,TLX,XTLL
Gene ID:	7101
Pathways:	Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway, Stem Cell Maintenance

## **Application Details**

Application Notes:	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (5.5 µg/mL) The optimal working dilution should be determined by the end user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	In PBS (0.09 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Store at 4°C. For long term storage store at -80°C.  Aliquot to avoid repeated freezing and thawing.

## **Images**



## **Immunohistochemistry**

**Image 1.** Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human brain, neurons and glia with NR2E1 polyclonal antibody . Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.