antibodies -online.com





anti-TM9SF4 antibody (N-Term)

2 Images



Overview

Quantity:	50 μg
Target:	TM9SF4
Binding Specificity:	N-Term
Reactivity:	Human, Rabbit, Dog, Monkey, Pig, Orang-Utan, Gorilla
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TM9SF4 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Purpose:	Rabbit polyclonal antibody raised against synthetic peptide of TM9SF4.
Immunogen:	A synthetic peptide corresponding to 14 amino acids at N-terminus region of human TM9SF4.
Specificity:	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Cross-Reactivity:	Dog, Gorilla, Human, Monkey, Orang-Utan, Pig, Rabbit
Cross-Reactivity (Details):	BLAST analysis of the peptide immunogen showed no homology with other human proteins.

Target Details

Target:	TM9SF4
Alternative Name:	TM9SF4 (TM9SF4 Products)
Background:	Full Gene Name: transmembrane 9 superfamily protein member 4

Target Details

	Synonyms: KIAA0255,dJ836N17.2
Gene ID:	9777


Application Details

Application Notes:	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (10 µg/mL)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	In PBS (0.09 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

Images



Immunohistochemistry

Image 1. Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human placenta with TM9SF4 polyclonal antibody . Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.



Immunohistochemistry

Image 2. Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human pancreas with TM9SF4 polyclonal antibody . Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.