



Datasheet for ABIN5590988  
**anti-WSCD1 antibody**



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	WSCD1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WSCD1 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Western Blotting (WB)

Product Details

Purpose:	Rabbit polyclonal antibody raised against recombinant WSCD1.
Immunogen:	Recombinant protein corresponding to amino acids of human WSCD1.
Sequence:	NITHAFPSSL IQANVTVGTC SGFCSQKEFP LAILRGWECY CAYPTPRFNL RDAMDSSVCG QDPEAQLAE YCEVYQTPVQ DTRCTDRRFL PNKSKVFVAL SSFPGAG
Isotype:	IgG
Cross-Reactivity:	Human

Target Details

Target:	WSCD1
Alternative Name:	WSCD1 ( <a href="#">WSCD1 Products</a> )
Background:	Full Gene Name: WSC domain containing 1

## Target Details

Synonyms: KIAA0523

Gene ID: 23302

## Application Details

Application Notes: Immunohistochemistry (1:50-1:200)  
Western Blot (1:250-1:500)  
The optimal working dilution should be determined by the end user.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: In PBS, pH 7.2 (40 % glycerol, 0.02 % sodium azide)


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C


Storage Comment: Store at 4°C. For long term storage store at -20°C.  
Aliquot to avoid repeated freezing and thawing.

## Images



### Western Blotting

**Image 1.** Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate), Lane 2: Over-expression Lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with WSCD1 polyclonal antibody .



### Immunohistochemistry

**Image 2.** Immunohistochemical staining of human colon with WSCD1 polyclonal antibody shows strong cytoplasmic positivity in glandular cells.