# antibodies - online.com







# anti-Luciferase antibody (Biotin)



## Publication



( )	1 /	-	r٧	/ 1	0	A .
	1//	$\vdash$	1 \/	/ I	_	۱/۱
$\sim$	v	$\sim$	1 V		$\overline{}$	V١

Quantity:	100 μg
Target:	Luciferase
Reactivity:	Firefly
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This Luciferase antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	Immunogen: Luciferase [Photinus pyralis (Firefly)]
	Immunogen Type: Native Protein
Isotype:	IgG
Cross-Reactivity (Details):	No reactivity is observed against Sea pansy (Renilla reniformis) luciferase.
Purification:	Anti-Luciferase Biotin Conjugated is an IgG fraction antibody purified from monospecific
	antiserum by a multi-step process which includes delipidation, salt fractionation and ion
	exchange chromatography followed by extensive dialysis against the buffer stated above.
	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat
	Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum as well as purified and partially purified Luciferase [Photinus pyralis (Firefly)].

### Target Details

|--|--|

### Target Details

Abstract:	Luciferase Products	
Background:	Synonyms: BAC, Luciferase Biotin, Anti-Luciferase BAC Antibody	
	Background: Anti-Luciferase Peroxidase conjugated antibody is produced from Photinus pyralis	
	(Firefly) which produces a green light with a wavelength of 562 nm. Expect a band at	
	approximately 60.7 kDa in size corresponding to Luciferase by western blotting in the	
	appropriate cell lysate or extract.	
Application Details		
Application Notes:	Application Note: Anti-Luciferase has been assayed against 1.0 μg of Luciferase in a standard	
	capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-	
	ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room	
	temperature. A working dilution of 1:80,000 to 1:310,000 of the reconstitution concentration is	
	suggested for this product.	
	Western Blot Dilution: 1:1,000 - 1:5,000	
	ELISA Dilution: 1:10,000 - 1:25,000	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Reconstitution Volume: 100 μL	
	Reconstitution Buffer: Restore with deionized water (or equivalent)	
Concentration:	1.0 mg/mL	
Buffer:	Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2	
	Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C	
	or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after	
	standing at room temperature. This product is stable for several weeks at 4° C as an undiluted	

# Expiry Date: 12 months Publications Product cited in: Windahl, Lagerquist, Andersson, Jochems, Kallkopf, Håkansson, Inzunza, Gustafsson, van der Saag, Carlsten, Pettersson, Ohlsson: "Identification of target cells for the genomic effects of

estrogens in bone." in: Endocrinology, Vol. 148, Issue 12, pp. 5688-95, (2008) (PubMed).