

Datasheet for ABIN5608233

CD47 Protein (CD47) (partial) (Fc Tag)[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	CD47
Protein Characteristics:	partial
Origin:	Rabbit
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD47 protein is labelled with Fc Tag.
Application:	Western Blotting (WB)

Product Details

Sequence:	Gln 19 - Glu 139
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Endotoxin level is less than 1.0 EU per µg by the LAL method.

Target Details

Target:	CD47
Alternative Name:	CD47 (CD47 Products)
Background:	Leukocyte surface antigen CD47 is also known as Antigenic surface determinant protein OA3, Integrin-associated protein (IAP) and Protein MER6. CD47 contains 1 Ig-like V-type (immunoglobulin-like) domain. CD47 is very broadly distributed on normal adult tissues. CD47 has a role in both cell adhesion by acting as an adhesion receptor for THBS1 on platelets, and in

Target Details

the modulation of integrins and plays an important role in memory formation and synaptic plasticity in the hippocampus by similarity. CD47 is the receptor for SIRPA, binding to which prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells. CD47 Interaction with SIRPG mediates cell-cell adhesion, enhances superantigen-dependent T-cell-mediated proliferation and costimulates T-cell activation.

Molecular Weight: 40.4 kDa

Gene ID: 100355470

UniProt: [G1SKT7](#)

Application Details

Application Notes: This recombinant protein can be used for WB.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Buffer: 50 mM Tris, 100 mM Glycine, pH 7.5

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -20 °C,-80 °C

Storage Comment: Lyophilized Protein should be stored at -20°C or lower for long term storage. Upon reconstitution, working aliquots should be stored at -20°C or -70°C.