

Datasheet for ABIN5608291

PCSK9 Protein (partial) (His tag)



Go to Product page

_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Quantity:	50 µg
Target:	PCSK9
Protein Characteristics:	partial
Origin:	Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This PCSK9 protein is labelled with His tag.
Application:	Western Blotting (WB), ELISA
Product Details	
Sequence:	Gln 31 - Gln 692
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Endotoxin level is less than 1.0 EU per ug by the LAL method.
Biological Activity Comment:	Measured by its binding ability in a functional ELISA. Immobilized Human LDL R, Strep Tag at 10 μ g/mL (100 uL/well) can bind Rhesus macaque PCSK9, His Tag with a linear range of 2-15 ng/mL (QC tested).
Target Details	
Target:	PCSK9

Target Details

Alternative Name:	PCSK9 (PCSK9 Products)			
Background:	Proprotein convertase subtilisin/kexin type 9 (PCSK9), is an enzyme which in humans is			
	encoded by the PCSK9 gene. This gene encodes a proprotein convertase belonging to the			
	proteinase K subfamily of the secretory subtilase family. This protein plays a major regulatory			
	role in cholesterol homeostasis. PCSK9 binds to the epidermal growth factor-like repeat A (EGF-			
	A) domain of the low-density lipoprotein receptor (LDLR), inducing LDLR degradation. PCSK9			
	may also have a role in the differentiation of cortical neurons. Mutations in this gene have been			
	associated with a rare form of autosomal dominant familial hypercholesterolemia (HCHOLA3).			
Molecular Weight:	73.2 kDa			
Gene ID:	717147			
UniProt:	A8T666			
Application Details				
Application Notes:	This recombinant protein can be used for E, WB.			
Restrictions:	For Research Use only			
Handling				
Format:	Lyophilized			
Buffer:	PBS, pH 7.4			
Handling Advice:	Avoid repeated freeze-thaw cycles.			
Storage:	-20 °C,-80 °C			
Storage Comment:	Lyophilized Protein should be stored at -20°C or lower for long term storage. Upon			
	reconstitution, working aliquots should be stored at -20°C or -70°C.			