

## Datasheet for ABIN5608424 **LILRB3 Protein (partial) (Fc Tag)**



Go to Product page

| _ |   |   |    |    |   |
|---|---|---|----|----|---|
|   | W | 0 | rv | 10 | W |

| Quantity:                     | 100 μg  |
|-------------------------------|---|
| Target:                       | LILRB3  |
| Protein Characteristics:      | partial   |
| Origin:                       | Human   |
| Source:                       | HEK-293 Cells   |
| Protein Type:                 | Recombinant   |
| Purification tag / Conjugate: | This LILRB3 protein is labelled with Fc Tag.  |
| Application:                  | Western Blotting (WB)   |
| Product Details               |   |
| Sequence:                     | Gly 24 - Glu 443  |
| Purity:                       | >95 % as determined by SDS-PAGE.  |
| Endotoxin Level:              | Endotoxin level is less than 1.0 EU per ug by the LAL method.                               |
| Target Details                |   |
| Target:                       | LILRB3  |
| Alternative Name:             | LILRB3 (LILRB3 Products)  |
| Background:                   | Leukocyte immunoglobulin-like receptor subfamily B member 3 is also known as LILRB3,ILT-5   |
|                               | or CD85a. LILRB3 plays an role as receptor for class I MHC antigens, which activated upon   |
|                               | coligation of LILRB3 and immune receptors, such as FCGR2B and the B-cell receptor. LILRB3   |
|                               | and LILRA6 represent a pair of inhibitory/activating receptors with identical extracellular |
|                               | coligation of LILRB3 and immune receptors, such as FCGR2B and the B-cell receptor. LILR     |

## Tarnet Details

| Target Details      |   |  |
|---------------------|---|--|
|                     | domains and unknown ligands. LILRB3 can mediate inhibitory signaling via immunoreceptor tyrosine-based inhibition motifs in its cytoplasmic tail whereas LILRA6 can signal through association with an activating adaptor molecule, FcRy. |  |
| Molecular Weight:   | 72.8 kDa  |  |
| Gene ID:            | 11025   |  |
| Application Details |   |  |
| Application Notes:  | This recombinant protein can be used for WB.  |  |
| Restrictions:       | For Research Use only   |  |
| Handling            |   |  |
| Format:             | Lyophilized   |  |
| Buffer:             | 50 mM Tris, 100 mM Glycine, pH 7.5  |  |

| Format:          | Lyophilized   |  |
|------------------|---|--|
| Buffer:          | 50 mM Tris, 100 mM Glycine, pH 7.5  |  |
| Handling Advice: | Avoid repeated freeze-thaw cycles.  |  |
| Storage:         | -20 °C,-80 °C   |  |
| Storage Comment: | Lyophilized Protein should be stored at -20°C or lower for long term storage. Upon reconstitution, working aliquots should be stored at -20°C or -70°C. |  |