# antibodies -online.com





# anti-GRK6 antibody (AA 71-170)

3 Images



Publication



Go to Product page

### Overview

Quantity:	100 μg
Target:	GRK6
Binding Specificity:	AA 71-170
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This GRK6 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

# **Product Details**

Purpose:	Mouse monoclonal antibody raised against a partial recombinant GRK6.
lmmunogen:	GRK6 (AAH17272, 71 a.a. $\sim$ 170 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence:	CATRPELSRC VAFLDGVAEY EVTPDDKRKA CGRQLTQNFL SHTGPDLIPE VPRQLVTNCT QRLEQGPCKD LFQELTRLTH EYLSVAPFAD YLDSIYFNRF
Clone:	8D4
Isotype:	lgG2b
Cross-Reactivity:	Human
Characteristics:	Antibody Reactive Against Recombinant Protein.

# **Target Details**

Target:	GRK6
Alternative Name:	GRK6 (GRK6 Products)
Background:	Full Gene Name: G protein-coupled receptor kinase 6 Synonyms: FLJ32135,GPRK6
Gene ID:	2870
Pathways:	Myometrial Relaxation and Contraction, Regulation of G-Protein Coupled Receptor Protein Signaling, CXCR4-mediated Signaling Events, Negative Regulation of Transporter Activity

# **Application Details**


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

# Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.


### **Publications**

Product cited in:	McCormick, Segarra, Gasperini, Gulino, Tosato: "Impaired recruitment of Grk6 and beta-Arrestin
	2 causes delayed internalization and desensitization of a WHIM syndrome-associated CXCR4
	mutant receptor." in: <b>PLoS ONE</b> , Vol. 4, Issue 12, pp. e8102, (2009) (PubMed).




# **Western Blotting**

**Image 1.** GRK6 monoclonal antibody (M10), clone 8D4 Western Blot analysis of GRK6 expression in Jurkat .



### **ELISA**

**Image 2.** Detection limit for recombinant GST tagged GRK6 is approximately 0.3ng/ml as a capture antibody.



# **Western Blotting**

**Image 3.** Western Blot detection against Immunogen (36.63 KDa) .