antibodies -online.com







anti-MVD antibody (AA 301-398)



Images



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μg
Target:	MVD
Binding Specificity:	AA 301-398
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This MVD antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF)

Product Details

Purpose:	Mouse monoclonal antibody raised against a partial recombinant MVD.	
Immunogen:	MVD (NP_002452, 301 a.a. \sim 398 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.	
Sequence:	AYTFDAGPNA VIFTLDDTVA EFVAAVWHGF PPGSNGDTFL KGLQVRPAPL SAELQAALAM EPTPGGVKYI IVTQVGPGPQ ILDDPCAHLL GPDGLPKP	
Clone:	2A7	
Isotype:	lgG2a	
Cross-Reactivity:	Human	
Characteristics:	Antibody Reactive Against Recombinant Protein.	

Target Details

Target:	MVD
Alternative Name:	MVD (MVD Products)
Background:	Full Gene Name: mevalonate (diphospho) decarboxylase Synonyms: FP17780,MPD
Gene ID:	4597
NCBI Accession:	NM_002461


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	

Handling


Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	

Images



ELISA

Image 1. Detection limit for recombinant GST tagged MVD is approximately 0.1ng/ml as a capture antibody.



25-

Western Blotting

Image 2. Western Blot analysis of MVD expression in transfected 293T cell line by MVD monoclonal antibody (M01), clone 2A7.

Lane 1: MVD transfected lysate(43.4 KDa).

Lane 2: Non-transfected lysate.

Western Blotting

Image 3. Western Blot detection against Immunogen (36.52 KDa) .

Please check the product details page for more images. Overall 5 images are available for ABIN561884.