# antibodies - online.com







anti-C19orf24 antibody





### Overview

Quantity:	100 μL
Target:	C19orf24
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C19orf24 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)

# **Product Details**

Purpose:	Rabbit polyclonal antibody raised against recombinant C19orf24.
Immunogen:	Recombinant protein corresponding to amino acids of human C19orf24.
Sequence:	AFRLKKPQRR RYGLLANTED PTEMASLDSD EETVFESRNL
Isotype:	IgG
Cross-Reactivity:	Human

# Target Details

Target:	C19orf24
Alternative Name:	C19orf24 (C19orf24 Products)
Background:	Full Gene Name: chromosome 19 open reading frame 40 Synonyms: FAAP24,FLJ46828,MGC32020

# **Target Details**

Gene	ID:
OCITO	ı D .

55009

# **Application Details**

	aaA	lication	Notes:
--	-----	----------	--------

Immunohistochemistry (1:200-1:500)

Immunofluorescence (1-4 µg/mL)

The optimal working dilution should be determined by the end user.

Restrictions:


For Research Use only

# Handling

Format:	Liquid
Buffer:	In PBS, pH 7.2 (40 % glycerol, 0.02 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C. For long term storage store at -20°C.


Aliquot to avoid repeated freezing and thawing.

### **Images**



### **Immunofluorescence**

**Image 1.** Immunofluorescent staining of human cell line U-2 OS with C19orf40 polyclonal antibody at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli.



### **Immunohistochemistry**

Image 2. Immunohistochemical staining of human kidney with C19orf40 polyclonal antibody shows strong cytoplasmic positivity in renal tubules.