

Datasheet for ABIN5651399 ADNP ELISA Kit



Overview

Quantity:	96 tests
Target:	ADNP
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA

Product Details

Alternative Name:

Sample Type:	Cell Lysate, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Activity Dependent Neuroprotector Protein (ADNP). No significant cross-reactivity or interference between Activity Dependent Neuroprotector Protein (ADNP) and analogues was observed.
Sensitivity:	0.059 ng/mL
Target Details	
Target:	ADNP

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5651399 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Activity Dependent Neuroprotector Protein (ADNP Products)

Background:	Gene Name: Activity Dependent Neuroprotector Protein
	Gene Aliases: ADNP1, ADNP Homeobox 1, Activity-dependent neuroprotective protein
Gene ID:	23394
UniProt:	Q9H2P0
Pathways:	Regulation of Cell Size, Regulation of Carbohydrate Metabolic Process
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h
Plate:	Pre-coated
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate
	provided in this kit has been pre-coated with an antibody specific to Activity Dependent
	Neuroprotector Protein (ADNP). Standards or samples are then added to the appropriate
	microtiter plate wells with a biotin-conjugated antibody specific to Activity Dependent
	Neuroprotector Protein (ADNP). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is
	added to each microplate well and incubated. After TMB substrate solution is added, only those
	wells that contain Activity Dependent Neuroprotector Protein (ADNP), biotin-conjugated
	antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate
	reaction is terminated by the addition of sulphuric acid solution and the color change is
	measured spectrophotometrically at a wavelength of 450nm \pm 10nm. The concentration of
	Activity Dependent Neuroprotector Protein (ADNP) in the samples is then determined by
	comparing the O.D. of the samples to the standard curve.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	Activity Dependent Neuroprotector Protein (ADNP) were tested 20 times on one plate,
	respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	Activity Dependent Neuroprotector Protein (ADNP) were tested on 3 different plates, 8
	replicates in each plate. CV(%) = SD/meanX100
	Intra-Assay: CV<10%

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5651399 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Application Details	
	Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months