

Datasheet for ABIN5651571

ARL1 ELISA Kit



Overview

Quantity:	96 tests
Target:	ARL1
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA

Product Details

Sample Type:	Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Aldose Reductase Like Protein 1 (ARL1). No significant cross-reactivity or interference between Aldose Reductase Like Protein 1 (ARL1) and analogues was observed.
Sensitivity:	0.065 ng/mL

Target Details

Target:	ARL1
Alternative Name:	Aldose Reductase Like Protein 1 (ARL1 Products)

Target Details Background: Gene Name: Aldose Reductase Like Protein 1 Gene Aliases: AKR1B10, AKR1B12, HIS, HSI, ALDRLn, Aldo-Keto Reductase Family 1, Member B10, Aldose Reductase-Related Protein, Small Intestine Reductase Gene ID: 57016 UniProt: 060218 **Application Details** Comment: The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5 % within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that

	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h

Plate:	Pre-coated

Protocol:

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Aldose Reductase Like Protein 1 (ARL1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Aldose Reductase Like Protein 1 (ARL1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Aldose Reductase Like Protein 1 (ARL1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Aldose Reductase Like Protein 1 (ARL1) in

the samples is then determined by comparing the O.D. of the samples to the standard curve.		
Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level		
Aldose Reductase Like Protein 1 (ARL1) were tested 20 times on one plate, respectively		
Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level		
Aldose Reductase Like Protein 1 (ARL1) were tested on 3 different plates, 8 replicates in each		
plate. CV(%) = SD/meanX100		
Intra-Assay: CV<10%		
Inter-Assay: CV<12%		

Assay Precision: Restrictions: For Research Use only Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5651571 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Handling

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and
	specimen samples should be assayed in duplicate. Once the procedure has been started, all
	steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months