

Datasheet for ABIN5652233 **BLMH CLIA Kit**



[Go to Product page](#)

Overview

Quantity: 96 tests

Target: BLMH

Reactivity: Human

Method Type: Sandwich ELISA

Detection Range: 156.25 pg/mL - 10000 pg/mL

Minimum Detection Limit: 156.25 pg/mL

Application: ELISA

Product Details

Sample Type: Tissue Homogenate

Analytical Method: Quantitative

Detection Method: Chemiluminescent

Specificity: This assay has high sensitivity and excellent specificity for detection of Bleomycin Hydrolase (BLMH). No significant cross-reactivity or interference between Bleomycin Hydrolase (BLMH) and analogues was observed.

Sensitivity: 5.04 pg/mL

Target Details

Target: BLMH

Alternative Name: Bleomycin Hydrolase ([BLMH Products](#))

Target Details

Background: Gene Name: Bleomycin Hydrolase
Gene Aliases: BH, BMH

Gene ID: 642

UniProt: [Q13867](#)

Application Details

Comment: The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5 % within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

Assay Time: 2 - 3 h

Plate: Pre-coated

Protocol: The microplate provided in this kit has been pre-coated with an antibody specific to Bleomycin Hydrolase (BLMH). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Bleomycin Hydrolase (BLMH). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Bleomycin Hydrolase (BLMH) level in the sample or standard.,

Assay Precision: Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Bleomycin Hydrolase (BLMH) were tested 20 times on one plate, respectively
Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Bleomycin Hydrolase (BLMH) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100
Intra-Assay: CV<10%
Inter-Assay: CV<12%

Restrictions: For Research Use only

Handling

Handling Advice: Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed

Handling

without interruption.

Storage: 4 °C,-20 °C

Storage Comment: -20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.

Expiry Date: 4-8 months