

Datasheet for ABIN5652868

CHI3L2 ELISA Kit



Overview

Quantity:	96 tests
Target:	CHI3L2
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.312 ng/mL - 20 ng/mL
Minimum Detection Limit:	0.312 ng/mL
Application:	ELISA

Product Details

Sample Type:	Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Chitinase 3 Like Protein 2 (CHI3L2). No significant cross-reactivity or interference between Chitinase 3 Like Protein 2 (CHI3L2) and analogues was observed.
Sensitivity:	0.133 ng/mL

Target Details

Target:	CHI3L2
Alternative Name:	Chitinase 3 Like Protein 2 (CHI3L2 Products)

Target Details

Background:	Gene Name: Chitinase 3 Like Protein 2
	Gene Aliases: YKL39, Chondrocyte protein 39
Gene ID:	1117
UniProt:	Q15782
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, ai
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h
Plate:	Pre-coated
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate
	provided in this kit has been pre-coated with an antibody specific to Chitinase 3 Like Protein 2
	(CHI3L2). Standards or samples are then added to the appropriate microtiter plate wells with a
	biotin-conjugated antibody specific to Chitinase 3 Like Protein 2 (CHI3L2). Next, Avidin
	conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated.
	After TMB substrate solution is added, only those wells that contain Chitinase 3 Like Protein 2
	(CHI3L2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in
	color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution
	and the color change is measured spectrophotometrically at a wavelength of 450nm \pm 10nm.
	The concentration of Chitinase 3 Like Protein 2 (CHI3L2) in the samples is then determined by
	comparing the O.D. of the samples to the standard curve.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	Chitinase 3 Like Protein 2 (CHI3L2) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	Chitinase 3 Like Protein 2 (CHI3L2) were tested on 3 different plates, 8 replicates in each plate
	CV(%) = SD/meanX100
	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only

Handling

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months