

# Datasheet for ABIN5653344

# **CRHR1 ELISA Kit**



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	96 tests
Target:	CRHR1
Reactivity:	Rat
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA

### **Product Details**

Sample Type:	Cell Lysate, Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of Corticotropin Releasing  Hormone Receptor 1 (CRHR1). No significant cross-reactivity or interference between  Corticotropin Releasing Hormone Receptor 1 (CRHR1) and analogues was observed.	
Sensitivity:	0.054 ng/mL	

# Target Details

Target:	CRHR1
Alternative Name:	Corticotropin Releasing Hormone Receptor 1 (CRHR1 Products)

# Target Details

Background:	Gene Name: Corticotropin Releasing Hormone Receptor 1		
	Gene Aliases: CRF-R, CRF1, CRFR1, CRH-R1h, CRHR, CRHR1f, Corticotropin-releasing factor		
	receptor 1		
Pathways:	Hormone Transport, cAMP Metabolic Process, Myometrial Relaxation and Contraction,		
	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process,		
	Feeding Behaviour, Negative Regulation of Transporter Activity		
Application Details			
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than		
	5 % within the expiration date under appropriate storage condition. To minimize extra influence		
	on the performance, operation procedures and lab conditions, especially room temperature, air		
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that		
	the whole assay is performed by the same operator from the beginning to the end.		
Assay Time:	3 h		
Plate:	Pre-coated		
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate		
	provided in this kit has been pre-coated with an antibody specific to Corticotropin Releasing		
	Hormone Receptor 1 (CRHR1). Standards or samples are then added to the appropriate		
	microtiter plate wells with a biotin-conjugated antibody specific to Corticotropin Releasing		
	Hormone Receptor 1 (CRHR1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is		
	added to each microplate well and incubated. After TMB substrate solution is added, only those		
	wells that contain Corticotropin Releasing Hormone Receptor 1 (CRHR1), biotin-conjugated		
	antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate		
	reaction is terminated by the addition of sulphuric acid solution and the color change is		
	measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of		
	Corticotropin Releasing Hormone Receptor 1 (CRHR1) in the samples is then determined by		
	comparing the O.D. of the samples to the standard curve.		
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level		
	Corticotropin Releasing Hormone Receptor 1 (CRHR1) were tested 20 times on one plate,		
	respectively		
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level		
	Corticotropin Releasing Hormone Receptor 1 (CRHR1) were tested on 3 different plates, 8		
	replicates in each plate. CV(%) = SD/meanX100		

# **Application Details**

	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and
	specimen samples should be assayed in duplicate. Once the procedure has been started, all
	steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at
	4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant
	pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months