

#### Datasheet for ABIN5653710

## **DNMT3B ELISA Kit**



_					
	W	0	rv	10	W

Quantity:	96 tests	
Target:	DNMT3B	
Reactivity:	Mouse	
Method Type:	Sandwich ELISA	
Detection Range:	0.156 ng/mL - 10 ng/mL	
Minimum Detection Limit:	0.156 ng/mL	
Application:	ELISA	

#### **Product Details**

Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of DNA Methyltransferase 3B (DNMT3B). No significant cross-reactivity or interference between DNA Methyltransferase 3B (DNMT3B) and analogues was observed.
Sensitivity:	0.045 ng/mL

## **Target Details**

Target:	DNMT3B	
Alternative Name:	DNA Methyltransferase 3B (DNMT3B Products)	

### **Target Details**

Background:	Gene Name: DNA Methyltransferase 3B
	Gene Aliases: ICF, M.HsallIB, DNA methyltransferase HsallIB
Gene ID:	13436
UniProt:	088509
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h
Plate:	Pre-coated
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate
	provided in this kit has been pre-coated with an antibody specific to DNA Methyltransferase 3E
	(DNMT3B). Standards or samples are then added to the appropriate microtiter plate wells with
	a biotin-conjugated antibody specific to DNA Methyltransferase 3B (DNMT3B). Next, Avidin
	conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated.
	After TMB substrate solution is added, only those wells that contain DNA Methyltransferase 3E
	(DNMT3B), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in
	color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution
	and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm.
	The concentration of DNA Methyltransferase 3B (DNMT3B) in the samples is then determined
	by comparing the O.D. of the samples to the standard curve.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	DNA Methyltransferase 3B (DNMT3B) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	DNA Methyltransferase 3B (DNMT3B) were tested on 3 different plates, 8 replicates in each
	plate. CV(%) = SD/meanX100
	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only

# Handling

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months