

Datasheet for ABIN5653986 Estriol ELISA Kit



Overview

Quantity:	96 tests
Target:	Estriol
Reactivity:	Various Species
Method Type:	Competition ELISA
Detection Range:	1.23 ng/mL - 100 ng/mL
Minimum Detection Limit:	1.23 ng/mL
Application:	ELISA

Product Details

Sample Type:	Cell Culture Supernatant, Cell Lysate, Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Estriol (E3). No significant cross-reactivity or interference between Estriol (E3) and analogues was observed.
Sensitivity:	0.48 ng/mL

Target Details

Target:	Estriol
Abstract:	Estriol Products
Target Type:	Hormone

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5653986 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Gene Name: Estriol
	Gene Aliases: oestriol
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	2 h
Plate:	Pre-coated
Protocol:	This assay employs the competitive inhibition enzyme immunoassay technique. A monoclonal
	antibody specific to Estriol (E3) has been pre-coated onto a microplate. A competitive inhibition
	reaction is launched between biotin labeled Estriol (E3) and unlabeled Estriol (E3) (Standards or
	samples) with the pre-coated antibody specific to Estriol (E3). After incubation the unbound
	conjugate is washed off. Next, avidin conjugated to Horseradish Peroxidase (HRP) is added to
	each microplate well and incubated. The amount of bound HRP conjugate is reverse
	proportional to the concentration of Estriol (E3) in the sample. After addition of the substrate
	solution, the intensity of color developed is reverse proportional to the concentration of Estriol
	(E3) in the sample.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	Estriol (E3) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	Estriol (E3) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100
	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and
	specimen samples should be assayed in duplicate. Once the procedure has been started, all
	steps should be completed without interruption.
Storage:	4 °C,-20 °C

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5653986 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months