

Datasheet for ABIN5654360

FKBP4 ELISA Kit



_					
	W	0	rv	10	W

Quantity:	96 tests	
Target:	FKBP4	
Reactivity:	Human	
Method Type:	Sandwich ELISA	
Detection Range:	0.156 ng/mL - 10 ng/mL	
Minimum Detection Limit:	0.156 ng/mL	
Application:	ELISA	

Product Details

Sample Type:	Cell Culture Supernatant, Cell Lysate, Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of FK506 Binding Protein 4 (FKBP4). No significant cross-reactivity or interference between FK506 Binding Protein 4 (FKBP4) and analogues was observed.	
Sensitivity:	0.059 ng/mL	

Target Details

Target:	FKBP4	
Alternative Name:	FK506 Binding Protein 4 (FKBP4 Products)	

Target Details

D. I	a. N. EVERGER, I. D. C. C.	
Background:	Gene Name: FK506 Binding Protein 4	
	Gene Aliases: FKBP52, FKBP59, HBI, Hsp56, p52, Rotamase, 51 kDa FK506-binding protein, 59 kDa immunophilin, HSP-binding immunophilin, Peptidyl-prolyl cis-trans isomerase FKBP4	
Gene ID:	2288	
UniProt:	Q02790	
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway	
Application Details		
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than	
	5 % within the expiration date under appropriate storage condition. To minimize extra influence	
	on the performance, operation procedures and lab conditions, especially room temperature, air	
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that	
	the whole assay is performed by the same operator from the beginning to the end.	
Assay Time:	3 h	
Plate:	Pre-coated	
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate	
	provided in this kit has been pre-coated with an antibody specific to FK506 Binding Protein 4	
	(FKBP4). Standards or samples are then added to the appropriate microtiter plate wells with a	
	biotin-conjugated antibody specific to FK506 Binding Protein 4 (FKBP4). Next, Avidin	
	conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated.	
	After TMB substrate solution is added, only those wells that contain FK506 Binding Protein 4	
	(FKBP4), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in	
	color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution	
	and the color change is measured spectrophotometrically at a wavelength of 450nm \pm 10nm.	
	The concentration of FK506 Binding Protein 4 (FKBP4) in the samples is then determined by	
	comparing the O.D. of the samples to the standard curve.	
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level	
	FK506 Binding Protein 4 (FKBP4) were tested 20 times on one plate, respectively	
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level	
	FK506 Binding Protein 4 (FKBP4) were tested on 3 different plates, 8 replicates in each plate.	
	CV(%) = SD/meanX100	
	Intra-Assay: CV<10%	
	Inter-Assay: CV<12%	

Application Details

Restrictions:	For Research Use only	
Handling		
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and	
	specimen samples should be assayed in duplicate. Once the procedure has been started, all	
	steps should be completed without interruption.	
Storage:	4 °C,-20 °C	
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at	
	4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant	
	pack. Minimize freeze/thaw cycles.	
Expiry Date:	4-8 months	