

Datasheet for ABIN5654830

GAS6 ELISA Kit



_					
	W	0	rv	10	W

Quantity:	96 tests
Target:	GAS6
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	1.56 ng/mL - 100 ng/mL
Minimum Detection Limit:	1.56 ng/mL
Application:	ELISA

Product Details

Sample Type:	Plasma, Serum	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of Growth Arrest Specific Protein 6 (GAS6). No significant cross-reactivity or interference between Growth Arrest Specific Protein 6 (GAS6) and analogues was observed.	
Sensitivity:	0.59 ng/mL	

Target Details

Target:	GAS6
Alternative Name:	Growth Arrest Specific Protein 6 (GAS6 Products)

Target Details

Background:	Gene Name: Growth Arrest Specific Protein 6 Gene Aliases: AXLLG, AXSF, AXL Stimulatory Factor, AXL receptor tyrosine kinase ligand
Gene ID:	14456
UniProt:	Q61592
Pathways:	RTK Signaling, Carbohydrate Homeostasis, Production of Molecular Mediator of Immune Response
Application Details	

Col	\sim	m	_	nt	
(.()		111			

The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5 % within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

Assay Time:

3 h

Plate:

Pre-coated

Protocol:

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Growth Arrest Specific Protein 6 (GAS6). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Growth Arrest Specific Protein 6 (GAS6). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Growth Arrest Specific Protein 6 (GAS6), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm \pm 10nm. The concentration of Growth Arrest Specific Protein 6 (GAS6) in the samples is then determined by comparing the O.D. of the samples to the standard curve.

Assay Precision:

Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Growth Arrest Specific Protein 6 (GAS6) were tested 20 times on one plate, respectively Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Growth Arrest Specific Protein 6 (GAS6) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 2/3 | Product datasheet for ABIN5654830 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Application Details

Restrictions:	For Research Use only
Handling	
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and
	specimen samples should be assayed in duplicate. Once the procedure has been started, all
	steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at
	4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant
	pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months