

# Datasheet for ABIN5656349

## **LEFTY1 CLIA Kit**



#### Overview

Quantity:	96 tests
Target:	LEFTY1
Reactivity:	Rat
Method Type:	Sandwich ELISA
Detection Range:	156.25 pg/mL - 10000 pg/mL
Minimum Detection Limit:	156.25 pg/mL
Application:	ELISA

#### **Product Details**

Sample Type:	Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Chemiluminescent
Specificity:	This assay has high sensitivity and excellent specificity for detection of Left/Right  Determination Factor 1 (LEFTY1). No significant cross-reactivity or interference between  Left/Right Determination Factor 1 (LEFTY1) and analogues was observed.
Sensitivity:	4.77 pg/mL

## **Target Details**

Target:	LEFTY1
Alternative Name:	Left/Right Determination Factor 1 (LEFTY1 Products)

Background:	Gene Name: Left/Right Determination Factor 1
	Gene Aliases: LEFTY-B, LEFTYB, LEFT-B, LEFTB, Left Right Determination Factor B
Gene ID:	498299
UniProt:	D4A670
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	2-3h
Plate:	Pre-coated
Protocol:	The microplate provided in this kit has been pre-coated with an antibody specific to Left/Right
	Determination Factor 1 (LEFTY1). Standards or samples are then added to the appropriate
	microplate wells with a biotin-conjugated antibody specific to Left/Right Determination Factor
	(LEFTY1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each
	microplate well and incubated. Then the mixture of substrate A and B is added to generate glo
	light emission kinetics. Upon plate development, the intensity of the emitted light is proportion
	to the Left/Right Determination Factor 1 (LEFTY1) level in the sample or standard.,
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	Left/Right Determination Factor 1 (LEFTY1) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	Left/Right Determination Factor 1 (LEFTY1) were tested on 3 different plates, 8 replicates in
	each plate. CV(%) = SD/meanX100
	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	

Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be

assayed in duplicate. Once the procedure has been started, all steps should be completed

Handling Advice:

## Handling

	without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months