

Datasheet for ABIN5656496

LRP5 ELISA Kit



Overview

Quantity:	96 tests
Target:	LRP5
Reactivity:	Rat
Method Type:	Sandwich ELISA
Detection Range:	0.781 ng/mL - 50 ng/mL
Minimum Detection Limit:	0.781 ng/mL
Application:	ELISA

Product Details

Sample Type:	Cell Lysate, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Low Density Lipoprotein Receptor Related Protein 5 (LRP5). No significant cross-reactivity or interference between Low Density Lipoprotein Receptor Related Protein 5 (LRP5) and analogues was observed.
Sensitivity:	0.3 ng/mL

Target Details

Target:	LRP5
Alternative Name:	Low Density Lipoprotein Receptor Related Protein 5 (LRP5 Products)

Target Details Background: Gene ID:

Gene Name: Low Density Lipoprotein Receptor Related Protein 5

Gene Aliases: HBM, BMND1, EVR1, EVR4, LR3, LRP7, OPPG, OPS, OPTA1, VBCH2, Osteoporosis

Pseudoglioma Syndrome, Exudative Vitreoretinopathy 1

293649

B2RYI1

Pathways: WNT Signaling, Stem Cell Maintenance, Positive Regulation of fat Cell Differentiation

Application Details

Comment:

UniProt:

The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5 % within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

Assay Time:

3 h

Plate:

Pre-coated

Protocol:

The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Low Density Lipoprotein Receptor Related Protein 5 (LRP5). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Low Density Lipoprotein Receptor Related Protein 5 (LRP5). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Low Density Lipoprotein Receptor Related Protein 5 (LRP5), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Low Density Lipoprotein Receptor Related Protein 5 (LRP5) in the samples is then determined by comparing the O.D. of the samples to the standard curve.

Assay Precision:

Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Low Density Lipoprotein Receptor Related Protein 5 (LRP5) were tested 20 times on one plate, respectively

Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Low Density Lipoprotein Receptor Related Protein 5 (LRP5) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100

Application Details

	Intra-Assay: CV<10% Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months