

Datasheet for ABIN5657598 PAK4 CLIA Kit



Overview

Quantity:	96 tests
Target:	PAK4
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	625.00 pg/mL - 40000 pg/mL
Minimum Detection Limit:	625.00 pg/mL
Application:	ELISA

Product Details

Sample Type:	Plasma, Serum
Analytical Method:	Quantitative
Detection Method:	Chemiluminescent
Specificity:	This assay has high sensitivity and excellent specificity for detection of p21 Protein Activated Kinase 4 (PAK4). No significant cross-reactivity or interference between p21 Protein Activated Kinase 4 (PAK4) and analogues was observed.
Sensitivity:	20.86 pg/mL
Target Details	
Target:	PAK4
Alternative Name:	p21 Protein Activated Kinase 4 (PAK4 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5657598 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Gene Name: p21 Protein Activated Kinase 4
	Gene Aliases: Serine/threonine-protein kinase PAK 4
Gene ID:	10298
UniProt:	096013
Pathways:	RTK Signaling
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5 % within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	2 - 3 h
Plate:	Pre-coated
Protocol:	The microplate provided in this kit has been pre-coated with an antibody specific to p21 Protein Activated Kinase 4 (PAK4). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to p21 Protein Activated Kinase 4 (PAK4). Next Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the p21 Protein Activated Kinase 4 (PAK4) level in the sample or standard.,
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level p21 Protein Activated Kinase 4 (PAK4) were tested 20 times on one plate, respectively Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level p21 Protein Activated Kinase 4 (PAK4) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	
Handling Advice:	Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5657598 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

	assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months