

Datasheet for ABIN5657752 **SULT1A1 ELISA Kit**



Go to Product page

()	ve	r\/i		۱۸/
\cup	V C	1 / 1	$\overline{}$	٧V

Quantity:	96 tests
Target:	SULT1A1
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA

Product Details

Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Phenol Sulfotransferase (PST). No significant cross-reactivity or interference between Phenol Sulfotransferase (PST) and analogues was observed.
Sensitivity:	0.061 ng/mL

Target Details

Target:	SULT1A1	
Alternative Name:	ernative Name: Phenol Sulfotransferase (SULT1A1 Products)	

Target Details

Background:	Gene Name: Phenol Sulfotransferase	
	Gene Aliases: SULT1A1, HAST1/HAST2, ST1A3, STP1, TSPST1, Sulfotransferase 1A1, Aryl	
	sulfotransferase 1, Phenol sulfotransferase 1, Thermostable phenol sulfotransferase	
UniProt:	P52840	
Application Details		
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than	
	5 % within the expiration date under appropriate storage condition. To minimize extra influence	
	on the performance, operation procedures and lab conditions, especially room temperature, air	
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that	
	the whole assay is performed by the same operator from the beginning to the end.	
Assay Time:	3 h	
Plate:	Pre-coated	
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate	
	provided in this kit has been pre-coated with an antibody specific to Phenol Sulfotransferase	
	(PST). Standards or samples are then added to the appropriate microtiter plate wells with a	
	biotin-conjugated antibody specific to Phenol Sulfotransferase (PST). Next, Avidin conjugated	
	to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB	
	substrate solution is added, only those wells that contain Phenol Sulfotransferase (PST), biotin	
	conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-	
	substrate reaction is terminated by the addition of sulphuric acid solution and the color change	
	is measured spectrophotometrically at a wavelength of 450nm \pm 10nm. The concentration of	
	Phenol Sulfotransferase (PST) in the samples is then determined by comparing the O.D. of the	
	samples to the standard curve.	
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level	
	Phenol Sulfotransferase (PST) were tested 20 times on one plate, respectively	
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level	
	Phenol Sulfotransferase (PST) were tested on 3 different plates, 8 replicates in each plate.	
	CV(%) = SD/meanX100	
	Intra-Assay: CV<10%	
	Inter-Assay: CV<12%	
Restrictions:	For Research Use only	

Handling

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months