

## Datasheet for ABIN5658474 **RBP1 ELISA Kit**



Overview

Quantity:	96 tests
Target:	RBP1
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA

## Product Details

Sample Type:	Plasma, Serum, Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of Retinol Binding Protein 1, Cellular (RBP1). No significant cross-reactivity or interference between Retinol Binding Protein 1, Cellular (RBP1) and analogues was observed.	
Sensitivity:	0.057 ng/mL	
Target Details		
Target:	RBP1	
Alternative Name:	Retinol Binding Protein 1, Cellular (RBP1 Products)	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5658474 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Gene Name: Retinol Binding Protein 1, Cellular
	Gene Aliases: RBP-1, CRABP-I, CRBP, CRBP1, RBPC, Cellular retinol-binding protein I
Gene ID:	5947
UniProt:	P09455
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h
Plate:	Pre-coated
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate
	provided in this kit has been pre-coated with an antibody specific to Retinol Binding Protein 1,
	Cellular (RBP1). Standards or samples are then added to the appropriate microtiter plate wells
	with a biotin-conjugated antibody specific to Retinol Binding Protein 1, Cellular (RBP1). Next,
	Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and
	incubated. After TMB substrate solution is added, only those wells that contain Retinol Binding
	Protein 1, Cellular (RBP1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit
	a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid
	solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$
	10nm. The concentration of Retinol Binding Protein 1, Cellular (RBP1) in the samples is then
	determined by comparing the O.D. of the samples to the standard curve.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	Retinol Binding Protein 1, Cellular (RBP1) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	Retinol Binding Protein 1, Cellular (RBP1) were tested on 3 different plates, 8 replicates in each
	plate. CV(%) = SD/meanX100
	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5658474 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Н	land	lina
11	ana	mig

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months