

Datasheet for ABIN5658774

SH3BP2 ELISA Kit



Overview

Quantity:	96 tests
Target:	SH3BP2
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.312 ng/mL - 20 ng/mL
Minimum Detection Limit:	0.312 ng/mL
Application:	ELISA

Product Details

Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of SH3 Domain Binding Protein 2 (SH3BP2). No significant cross-reactivity or interference between SH3 Domain Binding Protein 2 (SH3BP2) and analogues was observed.
Sensitivity:	0.126 ng/mL

Target Details

Target:	SH3BP2
Alternative Name:	SH3 Domain Binding Protein 2 (SH3BP2 Products)

Target Details

rarget Details	
Background:	Gene Name: SH3 Domain Binding Protein 2
	Gene Aliases: CRBM, RES4-23, Cherubism
Gene ID:	6452
UniProt:	P78314
Pathways:	TCR Signaling
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h
Plate:	Pre-coated
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate
	provided in this kit has been pre-coated with an antibody specific to SH3 Domain Binding
	Protein 2 (SH3BP2). Standards or samples are then added to the appropriate microtiter plate
	wells with a biotin-conjugated antibody specific to SH3 Domain Binding Protein 2 (SH3BP2).
	Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and
	incubated. After TMB substrate solution is added, only those wells that contain SH3 Domain
	Binding Protein 2 (SH3BP2), biotin-conjugated antibody and enzyme-conjugated Avidin will
	exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of
	sulphuric acid solution and the color change is measured spectrophotometrically at a
	wavelength of 450nm \pm 10nm. The concentration of SH3 Domain Binding Protein 2 (SH3BP2) in
	the samples is then determined by comparing the O.D. of the samples to the standard curve.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level SH
	Domain Binding Protein 2 (SH3BP2) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	SH3 Domain Binding Protein 2 (SH3BP2) were tested on 3 different plates, 8 replicates in each
	plate. CV(%) = SD/meanX100

Restrictions: For Research Use only

Intra-Assay: CV<10% Inter-Assay: CV<12%

Handling

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months