

Datasheet for ABIN5659555

TNNI1 ELISA Kit



Overview

Quantity:	96 tests
Target:	TNNI1
Reactivity:	Rat
Method Type:	Sandwich ELISA
Detection Range:	2.5 ng/mL - 160 ng/mL
Minimum Detection Limit:	2.5 ng/mL
Application:	ELISA

Product Details

Sample Type:	Plasma, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Troponin I Type 1, Slow Skeletal (TNNI1). No significant cross-reactivity or interference between Troponin I Type 1, Slow Skeletal (TNNI1) and analogues was observed.
Sensitivity:	0.75 ng/mL

Target Details

Target:	TNNI1
Alternative Name:	Troponin I Type 1, Slow Skeletal (TNNI1 Products)

Target Details

Background:	Gene Name: Troponin I Type 1, Slow Skeletal
	Gene Aliases: TNN1, Troponin I, slow-twitch isoform
Gene ID:	29388
UniProt:	P13413
Application Details	
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than
	5 % within the expiration date under appropriate storage condition. To minimize extra influence
	on the performance, operation procedures and lab conditions, especially room temperature, air
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that
	the whole assay is performed by the same operator from the beginning to the end.
Assay Time:	3 h
Plate:	Pre-coated
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate
	provided in this kit has been pre-coated with an antibody specific to Troponin I Type 1, Slow
	Skeletal (TNNI1). Standards or samples are then added to the appropriate microtiter plate wells
	with a biotin-conjugated antibody specific to Troponin I Type 1, Slow Skeletal (TNNI1). Next,
	Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and
	incubated. After TMB substrate solution is added, only those wells that contain Troponin I Type
	1, Slow Skeletal (TNNI1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit
	a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric aci
	solution and the color change is measured spectrophotometrically at a wavelength of 450nm \pm
	10nm. The concentration of Troponin I Type 1, Slow Skeletal (TNNI1) in the samples is then
	determined by comparing the O.D. of the samples to the standard curve.
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level
	Troponin I Type 1, Slow Skeletal (TNNI1) were tested 20 times on one plate, respectively
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level
	Troponin I Type 1, Slow Skeletal (TNNI1) were tested on 3 different plates, 8 replicates in each
	plate. CV(%) = SD/meanX100
	Intra-Assay: CV<10%
	Inter-Assay: CV<12%
Restrictions:	For Research Use only

Handling

Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months