

# Datasheet for ABIN5659800

# **ERBB4 ELISA Kit**



Overv	/iew
OVCIV	

Quantity:	96 tests
Target:	ERBB4
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA

## **Product Details**

Sample Type:	Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of V-Erb A Erythroblastic Leukemia Viral Oncogene Homolog 4 (ErbB4). No significant cross-reactivity or interference between V-Erb A Erythroblastic Leukemia Viral Oncogene Homolog 4 (ErbB4) and analogues was observed.
Sensitivity:	0.062 ng/mL

# Target Details

Target:	ERBB4
Alternative Name:	V-Erb A Erythroblastic Leukemia Viral Oncogene Homolog 4 (ERBB4 Products)

# **Target Details**

Target Details		
Background:	Gene Name: V-Erb A Erythroblastic Leukemia Viral Oncogene Homolog 4	
	Gene Aliases: HER4, P180erbB4, Receptor Tyrosine-Protein Kinase ErbB-4, Proto-oncogene-like protein c-ErbB-4, Tyrosine kinase-type cell surface receptor HER4	
Gene ID:	2066	
UniProt:	Q15303	
Pathways:	RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway	
Application Details		
Comment:	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than	
	5 % within the expiration date under appropriate storage condition. To minimize extra influence	
	on the performance, operation procedures and lab conditions, especially room temperature, air	
	humidity, incubator temperature should be strictly controlled. It is also strongly suggested that	
	the whole assay is performed by the same operator from the beginning to the end.	
Assay Time:	3 h	
Plate:	Pre-coated	
Protocol:	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate	
	provided in this kit has been pre-coated with an antibody specific to V-Erb A Erythroblastic	
	Leukemia Viral Oncogene Homolog 4 (ErbB4). Standards or samples are then added to the	
	appropriate microtiter plate wells with a biotin-conjugated antibody specific to V-Erb A	
	Erythroblastic Leukemia Viral Oncogene Homolog 4 (ErbB4). Next, Avidin conjugated to	
	Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB	
	substrate solution is added, only those wells that contain V-Erb A Erythroblastic Leukemia Viral	
	Oncogene Homolog 4 (ErbB4), biotin-conjugated antibody and enzyme-conjugated Avidin will	
	exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of	
	sulphuric acid solution and the color change is measured spectrophotometrically at a	
	wavelength of 450nm ± 10nm. The concentration of V-Erb A Erythroblastic Leukemia Viral	
	Oncogene Homolog 4 (ErbB4) in the samples is then determined by comparing the O.D. of the	
	samples to the standard curve.	
Assay Precision:	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level V-	
	Erb A Erythroblastic Leukemia Viral Oncogene Homolog 4 (ErbB4) were tested 20 times on one	
	plate, respectively	
	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level V-	

# **Application Details**

	Erb A Erythroblastic Leukemia Viral Oncogene Homolog 4 (ErbB4) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Restrictions:	For Research Use only
Handling	
Handling Advice:	The Stop Solution is acidic. Do not allow to contact skin or eyes. Calibrators, controls and specimen samples should be assayed in duplicate. Once the procedure has been started, all steps should be completed without interruption.
Storage:	4 °C,-20 °C
Storage Comment:	-20°C. Bring all reagents to room temperature before beginning test. The kit may be stored at 4°C for immediate use within two days upon arrival. Reseal any unused strips with desiccant pack. Minimize freeze/thaw cycles.
Expiry Date:	4-8 months