# antibodies -online.com





## anti-IgY antibody (AbBy Fluor® 594)



#### Overview

Quantity:	200 μL
Target:	lgY
Reactivity:	Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IgY antibody is conjugated to AbBy Fluor® 594
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	Chicken IgY
Isotype:	IgG
Purification:	Purified by Protein A.

### Target Details

Larget Details	
Target:	IgY
Alternative Name:	Chicken IgY (IgY Products)
Target Type:	Antibody
Background:	In chickens, immunoglobulin Y is the functional equivalent to Immunoglobulin G (IgG). Like IgG,
	it is composed of two light and two heavy chains. Structurally, these two types of
	immunoglobulin differ primarily in the heavy chains, which in IgY have a molecular mass of
	about 65,100 atomic mass units (amu), and are thus larger than in IgG. The light chains in IgY,

with a molar mass of about 18,700 amu, are somewhat smaller than the light chains in IgG. The molar mass of IgY thus amounts to about 167,000 amu. The steric flexibility of the IgY molecule is less than that of IgG.Functionally, IgY is partially comparable to Immunoglobulin E (IgE), as well as to IgG. However, in contrast to IgG, IgY does not bind to Protein A, to Protein G, or to cellular Fc receptors. Furthermore, IgY does not activate the complement system. The name Immunoglobulin Y was suggested in 1969 by G.A. Leslie and L.W. Clem, after they were able to show differences between the immunoglobulins found in chicken eggs, and immunoglobulin G. Other synonymous names are Chicken IgG, Egg Yolk IgG, and 7S-IgG.

Synonyms: Egg yolk immunoglobulin, IgY.

#### **Application Details**

Application Notes:	IF(IHC-P)(1:50-200)
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 100 μg/mL BSA, 50 % glycerol and 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at 4°C
Expiry Date:	12 months