



[Go to Product page](#)

Datasheet for ABIN566803

anti-Zinc Finger Protein 650 (ZNF650) (AA 1-110) antibody

2 Images

Overview

| | |
|----------------------|----------------------------------|
| Quantity: | 50 µL |
| Target: | Zinc Finger Protein 650 (ZNF650) |
| Binding Specificity: | AA 1-110 |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Polyclonal |
| Conjugate: | Un-conjugated |
| Application: | ELISA, Western Blotting (WB) |

Product Details

| | |
|-------------------|---|
| Purpose: | Mouse polyclonal antibody raised against a partial recombinant ZNF650. |
| Immunogen: | ZNF650 (NP_742067, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag. |
| Sequence: | MNKRIIEEIC RKVTPPVPPK KVTAAEKCTL DKEERRQKAR ERQKLLAEF ASRQKSFMET AMDVDSPEND IPMEITTAEP QVSEAVYDCV ICGQSGPSSE DRPTGLVLL |
| Cross-Reactivity: | Human |
| Characteristics: | Antibody Reactive Against Recombinant Protein. |

Target Details

| | |
|-------------------|--|
| Target: | Zinc Finger Protein 650 (ZNF650) |
| Alternative Name: | UBR3 (ZNF650 Products) |

Target Details

| | |
|-----------------|---|
| Background: | Full Gene Name: ubiquitin protein ligase E3 component n-recognin 3 (putative) Synonyms: DKFZp434P117,DKFZp686N10185,FLJ37422,KIAA2024,MGC126489,ZNF650 |
| Gene ID: | 130507 |
| NCBI Accession: | NM_172070 |
| Pathways: | Feeding Behaviour |


Application Details

| | |
|--------------------|--|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Restrictions: | For Research Use only |

Handling


| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | 50 % glycerol |
| Handling Advice: | Aliquot to avoid repeated freezing and thawing. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |

Images



Western Blotting

Image 1. ZNF650 polyclonal antibody (A01), Lot # 051116JC01. Western Blot analysis of ZNF650 expression in human ovarian cancer.



Western Blotting

Image 2. Western Blot detection against Immunogen (38.21 kDa).