
antibodies -online.com







anti-FAM98C antibody (AA 161-260)



Image



Overview

Quantity:	100 μL
Target:	FAM98C
Binding Specificity:	AA 161-260
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM98C antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FAM98C
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Sheep,Pig
Purification:	Purified by Protein A.

Target Details

Target: FAM98C	
----------------	--

Target Details

Alternative Name:	FAM98C (FAM98C Products)
Background:	Optional[synonyms]: Protein FAM98C, FAM98C
Gene ID:	147965
UniProt:	Q17RN3

Application Details

	ICC 1:100-500
	IF(ICC) 1:50-200
	IF(IHC-F) 1:50-200
	IF(IHC-P) 1:50-200
	IHC-F 1:100-500
	IHC-P 1:200-400
	ELISA 1:500-1000
Application Notes:	WB 1:300-5000

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months




Image 1. Mouse small intestine lysates probed with FAM98C Polyclonal Antibody, Unconjugated at 1:300 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at 1:10000 for 60 min at 37°C.